

## PRODUCT INFORMATION

# WSD MULESING POWDER

## Wound Dressing Following Mules Operation General Wound Dressing for Sheep, Cattle and Goats

### Product Description

**WSD MULESING POWDER** is a wound dressing for livestock including following mules operation.

### Type of Preparation

**WSD MULESING POWDER** is a ready-to use powder for topical application as a wound dressing containing diazinon 15g/kg, piperonyl butoxide 0.8g/kg, and pyrethrins 1g/kg.

### Indications

**Sheep, Cattle and Goats:** To prevent blowfly strike, including after dehorning, mulesing or other wounds  
Milking sheep: Should not be used in sheep producing milk for human consumption.

### Dosage

Always refer to the label. Shear wool or clip hair from the affected parts. Apply powder to the wound, introducing it into any cavities beneath the skin. Dust the wool and skin bordering the treated area, particularly areas between skin wrinkles. After marking, mulesing and dehorning, apply liberally to the affected area.

### Advice On Use

- It is important to coat the area thoroughly.
- All preparations containing diazinon should be treated with CAUTION.

# CAUTION

Keep out of reach of children  
For animal treatment only



# WSD Mulesing Powder



**WOUND DRESSING FOLLOWING MULES  
OPERATION GENERAL WOUND  
DRESSING FOR SHEEP, CATTLE  
AND GOATS**

**Active constituent/s:**

15 g/Kg Diazinon  
(An Anticholinesterase compound)  
1 g/Kg Pyrethrins  
0.8 g/Kg Piperonyl Butoxide

**12.5 KG**



**WSD MULESING POWDER:**

Wound dressing following mules operation general wound dressing for sheep, cattle and goats.

**DIRECTIONS FOR USE:**

**RESTRAINTS:**

Do not use on cows, ewes or does which are producing or may in the future produce milk or milk products for human consumption.

**DOSAGE & ADMINISTRATION:**

Dust the wound using a suitable container, ensuring the powder enters any crevices and cavities under the skin. Apply the powder in ample quantities to the area of operation. For general wounds: clip hair or shear affected areas and dust them lightly. For strike, dehorning: apply the powder in ample quantities to the area affected. Not to be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.

**WITHHOLDING PERIOD/S:**

**Meat withholding period (sheep and goats):** Do not use less than fourteen (14) days before slaughter for human consumption.

**Meat withholding period (cattle):** Do not use less than three (3) days before slaughter for human consumption.

**Milk withholding period (sheep, goats & cattle):** Do not use on cows, ewes or does which are producing or may in the future produce milk or milk products for human consumption.

**WOOL HARVEST INTERVAL:** DO NOT use less than 2 months before shearing or fibre collection.

**SAFETY DIRECTIONS:**

Harmful if swallowed. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. Do not inhale dust. When using the product wear cotton overalls buttoned to the neck and wrist, a washable hat and elbow length PVC gloves. After using and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

**FIRST AID:**

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone 13 11 26).

**ADDITIONAL USER SAFETY:**

Sheep Rehandling Interval: Six weeks. If sheep must be handled during this interval, cotton overalls buttoned to the neck (or equivalent clothing) should be worn. Material Safety Data Sheet (MSDS): Additional information is listed in the Material Safety Data Sheet, which can be obtained from the supplier.

**ENVIRONMENTAL STATEMENTS:**

Dangerous to fish. Do not contaminate streams, rivers and waterways with the product or used containers.

**DISPOSAL:**

Triple or (preferably) pressure rinse container. Dispose of rinsate in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Do not dispose of undiluted chemicals on-site. Return clean container for recycling where this is an option or for disposal at a landfill authorised to accept this waste. If neither of these options are available, bury the container below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty container should not be burned.

**STORAGE:**

Store below 30°C (room temperature) in the closed, original container in a dry, well-ventilated area and protect from light.

**CONDITIONS OF SALE:**

All WSD Agribusiness products are of a high quality, being subjected to rigid quality control. The manufacturer, however, is unable to control the product's subsequent handling or use or the circumstances of each handling or use. This product is sold on the express condition that neither the manufacturer nor the distributor is under any liability for any loss or damage that may arise through such handling or use. If these conditions are unacceptable the container should be returned unopened for credit.



**Manufactured by  
WSD Agribusiness Pty. Ltd.**

ABN 65 600 111 135  
Koojan Avenue, South Guildford WA 6055  
Tel: (08) 9321 2888 Fax: (08) 9479 4088  
contact@wsdagribusiness.com  
www.wsdagribusiness.com

**APVMA Approval 39574/0614**

**Batch No:**

**Expiry:**

